

- [Products](#) >
- [Services](#) >
- [Projects](#) >
- [Resources](#) >
- [About](#) >

< Products

- [Performance Louvres](#) >
- [Operable Ventilators](#) >
- [Perforated Screens](#) >
- [Aluminium Cladding](#) >
- [Elliptical Blades](#) >
- [Modular Window Hoods](#) >
- [Swaged Screens](#) >
- [Batten Screens](#) >

< Performance Louvres

- [Aerion Series® Class A1](#)
- [Altura Series® Chevron](#)
- [Delta Series® Steel](#)
- [Ellenborough Series® Chevron](#)
- [Hudson Series® Acoustic](#)
- [Jupiter Series® Performance](#)
- [Kensington Series® Weatherproof](#)
- [Nexus Series® Commercial](#)
- [Cascade Series® Fixed Aluminium](#)
- [All Louvres](#)

< Operable Ventilators

- [Axis Series® Operable Steel](#)
- [Glacier Series® Operable Glass](#)

< Perforated Screens

- [Polaris Series® Perforated Screens](#)

< Aluminium Cladding

- [Platinum Series® Bespoke Aluminium Cladding](#)

< Elliptical Blades

- [Bremer Series® 45x11mm elliptical blades](#)
- [Windsor Series® 91x21mm elliptical blades](#)
- [Oxford Series® 150x29mm elliptical blades](#)
- [Wickham Series® 200x40mm elliptical blades](#)
- [Ocean Series® 300x50mm elliptical blades](#)
- [Merlin Series® 430x55mm elliptical blades](#)

< Modular Window Hoods

- [Scarborough Series® 20mm](#)
- [Caprice Series® 45mm](#)
- [Sheraton Series® 75mm](#)
- [Ascot Series® Bespoke Window Hoods](#)

< Swaged Screens

- [Mirage Series® Swaged Screens](#)

< Batten Screens

- [Barossa Series® Rectangle Batten Screens](#)
- [Vulcan Series® Trapezoid Batten Screens](#)

< Services

- [Design Development](#)
- [Project Delivery](#)
- [Facade Refurbishments](#)

< Projects

- [Data Centres](#)
- [Defence](#)
- [Health](#)
- [Infrastructure](#)
- [Refurbishments](#)
- [Education](#)
- [Commercial](#)
- [Industrial](#)
- [Residential](#)
- [Car Park](#)
- [Civic](#)
- [All Projects](#)

< Resources

- [Louvre Performance Calculator](#)
- [BIM Content Revit Library](#)
- [News & Insights](#)
- [Inside Out Podcast](#)
- [White Papers](#)
- [CPD Presentations](#)

- [Colours & Finishes](#)
- [FAQs](#)

< About

- [About Us](#)
- [MadeRight Guarantee](#)
- [Our Culture](#)
- [Our Team](#)
- [Quality & Assurance](#)
- [Sustainability](#)

< Product

- [Performance Louvres](#)
 - [Aerodynamic](#)
 - [Aerion Series® Class A1 Louvre](#)
 - [Altura Series® Chevron Vertical Louvres](#)
 - [Cascade Series® Fixed Aluminium Louvres](#)
 - [Jupiter Series® Performance Louvres](#)
 - [Neptune Series® Slimline Louvre](#)
 - [Nexus Series® Commercial Louvres](#)
 - [Rain Defence](#)
 - [Aerion Series® Class A1 Louvre](#)
 - [Altura Series® Chevron Vertical Louvres](#)
 - [Cascade Series® Fixed Aluminium Louvres](#)
 - [Delta Series® Perforated Louvre](#)
 - [Jupiter Series® Performance Louvres](#)
 - [Kensington Series® Rain Resistant Louvres](#)
 - [Nexus Series® Commercial Louvres](#)
 - [Varsity Series® Rollformed Louvre](#)
 - [Acoustic Louvres](#)
 - [Hudson Series® Acoustic Louvre](#)
 - [Zero Vision](#)
 - [Aerion Series® Class A1 Louvre](#)
 - [Altura Series® Chevron Vertical Louvres](#)
 - [Ellenborough Series® Chevron Louvres](#)
 - [Kensington Series® Rain Resistant Louvres](#)
 - [Venus Series® Chevron Louvre](#)
- [Solar Shading](#)
 - [Modular Blades](#)
 - [Ascot Series® Bespoke Sun Shades](#)
 - [Caprice Series® Modular Fins](#)
 - [Scarborough Series® Window Hoods](#)
 - [Sheraton Series® Aluminium Modular Blades](#)
 - [Elliptical Blades](#)
 - [Bremer Series® Louvre Sunscreen System](#)
 - [Merlin Series® Elliptical Louvre Blades](#)
 - [Ocean Series® Elliptical Louvre](#)
 - [Oxford Series® External Louvres](#)
 - [Wickham Series® Elliptical Louvres](#)
 - [Windsor Series® Aluminium Sun Shade](#)
 - [Louvred Screens](#)
 - [Mirage Series® Swaged Louvres](#)
 - [Operable Screens](#)
 - [Bremer Series® Louvre Sunscreen System](#)
 - [Merlin Series® Elliptical Louvre Blades](#)
 - [Ocean Series® Elliptical Louvre](#)
 - [Oxford Series® External Louvres](#)
 - [Wickham Series® Elliptical Louvres](#)
 - [Windsor Series® Aluminium Sun Shade](#)
- [Facade Screens](#)
 - [Batten Screens](#)
 - [Barossa Series® Aluminium Batten Screens](#)
 - [Vulcan Series® Aluminium Shade Screens](#)
 - [Perforated Screens](#)
 - [Polaris Series® Perforated Metal Screens](#)
 - [Rainscreen Cladding](#)
 - [Platinum Series® Aluminium Cladding](#)
 - [Polaris Series® Perforated Metal Screens](#)
- [Operable Ventilators](#)
 - [Axis Series® Operable Louvre System](#)
 - [Galaxy Series® Smoke, Heat & Exhaust Wall Vent](#)
 - [Glacier Series® Operable Glass Louvres](#)
 - [Vision Series® Smoke, Heat & Exhaust Roof Vent](#)

Merlin Series® Elliptical Louvre Blades

Louvreclad Merlin Series® 430mm aluminium elliptical louvres offer exceptional spanning and cantilevering for high-rise buildings. Ideal for floor-to-floor screening, they can be operable with sun and lux sensors for energy efficiency.

Features

Performance

Ultimate Cantilevering

430x55mm extruded aluminium elliptical louvres provide excellent spanning capabilities. Designed for operable or fixed shading solutions, enhancing energy efficiency and occupant comfort.

Aesthetics

Bold Architectural Design

Offers a sleek, elliptical profile for vertical or horizontal installation. Concealed mounting methods ensure a clean line aesthetic, suitable for high-rise buildings.

Design

Versatile and Robust

Suitable for vertical, horizontal, and operable configurations. Variable blade pitch and angle with a maximum vertical span of 4000mm, available in powder-coated or anodised finishes.

Specifications


Installation

Installation and mounting details will be designed in accordance with proprietary systems and recommendations as designed and manufactured by Louvreclad.

Explore the profile options

Merlin Series®

430x55mm aluminium elliptical blades



430 mm

Depth

55 mm

Thickness

4100 mm

Max span

3.49 kg/metre

Weight

Technical Data Disclaimer

- Indicative maximum span provided are based on generic permissible design wind pressure of 2kPa.
- Span values and product technical information provided are subjected to variance by project specific requirements & influence factors such building location, terrain category & local pressure effects.
- Span values provided are based on typical scenario where product specified are fixed at one end; simply supported at the other end and in either horizontal or vertical orientation.
- If the product specified is required to function as barrier for fall protection or as trafficable element, maximum span and pitch nominated may be reduced.
- Spans values provided could be influenced and reduced when used in dynamically sensitive wind environment.
- For project specific product selection or preliminary design & engineering consultation, please contact 1300 165 678 or sales@louvreclad.com to arrange or book a meeting.



Inspire with Quality

As leaders in the building envelope market, we are known for exceptional quality and lasting value. Our credibility, wealth of knowledge, and unmatched competence enable us to inspire exterior solutions that look good and perform better.



The MadeRight Guarantee

Following our proven process enables us to develop solutions we're proud to put our mark of quality to. We guarantee that all projects will be delivered in a timely manner, be on specification, engineered to Australian standards and finished



Made to Perform

Louvreclad solutions are made to last and manufactured on-site using high-quality Australian aluminium and steel. As an organisation we are driven to get a thousand things right everyday to achieve our vision to be the face of Australian Business. Our facades are not here to be average, they are here to perform – and so are we.

Speak to an expert

Reach out today to discuss your facade solution requirements; we would love to hear from you.

1300 165 678

sales@louvreclad.com

